























- [30] M. Villani, C. Tappert, N. Giang, J. Simone, H. S. Fort, and C. Sung-Hyuk, "Keystroke Biometric Recognition Studies on Long-Text Input under Ideal and Application-Oriented Conditions," in *Computer Vision and Pattern Recognition Workshop, 2006. CVPRW '06. Conference on, 2006*, p. 39.
- [31] W. Chang, "Improving hidden Markov models with a similarity histogram for typing pattern biometrics," in *IEEE International Conference on Information Reuse and Integration, Conf, 2005. IRI -2005, 2005*, pp. 487 – 493.
- [32] K. Revett, S. T. de Magalhaes, and H. M. D. Santos, "Enhancing login security through the use of keystroke input dynamics," in *Advances in Biometrics, Proceedings*, vol. 3832, 2006, pp. 661–667.
- [33] J. C. Stewart, J. V. Monaco, S.-H. Cha, and C. C. Tappert, "An investigation of keystroke and stylometry traits for authenticating online test takers," in *Biometrics (IJCB), 2011 International Joint Conference on, 2011*, pp. 1–7.
- [34] H. Dozono, S. Ito, and M. Nakakuni, "The authentication system for multi-modal behavior biometrics using concurrent Pareto learning SOM," in *Proceedings of the 21st international conference on Artificial neural networks - Volume Part II*, Berlin, Heidelberg, 2011, pp. 197–204.
- [35] P. S. Teh, A. B. J. Teoh, C. Tee, and T. S. Ong, "Keystroke dynamics in password authentication enhancement," *Expert Systems with Applications*, vol. 37, no. 12, pp. 8618–8627, Dec. 2010.
- [36] M. S. Obaidat, "A verification methodology for computer systems users," in *Proceedings of the 1995 ACM symposium on Applied computing, 1995*, vol. Nashville, Tennessee, United States, pp. 258–262.
- [37] S. Hocquet, J. Y. Ramel, and H. Cardot, *Fusion of methods for keystroke dynamic authentication. 2005*.
- [38] N. Bartlow and B. Cukic, "Evaluating the Reliability of Credential Hardening through Keystroke Dynamics," in *Software Reliability Engineering, 2006. ISSRE '06. 17th International Symposium on, 2006*, pp. 117 –126.
- [39] D. Tran, W. Ma, G. Chetty, and D. Sharma, "Fuzzy and Markov models for keystroke biometrics authentication," in *Proceedings of the 7th WSEAS International Conference on Simulation, Modelling and Optimization, WSEAS; Stevens Point, Wisconsin, USA, 2007*, vol. Beijing, China, pp. 89–94.
- [40] D. Hosseinzadeh and S. Krishnan, "Gaussian Mixture Modeling of Keystroke Patterns for Biometric Applications," *Ieee Transactions on Systems Man and Cybernetics Part C-Applications and Reviews*, vol. 38, no. 6, pp. 816–826, 2008.
- [41] R. Giot, M. El-Abed, C. Rosenberger, and Ieee, *Keystroke Dynamics With Low Constraints SVM Based Passphrase Enrollment. 2009*.
- [42] K. S. Killourhy, R. A. Maxion, and Ieee, *Comparing Anomaly-Detection Algorithms for Keystroke Dynamics. 2009*.
- [43] S. S. Hwang, H. J. Lee, and S. Cho, "Improving authentication accuracy using artificial rhythms and cues for keystroke dynamics-based authentication," *Expert Systems with Applications*, vol. 36, no. 7, pp. 10649–10656, 2009.
- [44] B. Ngugi, B. K. Kahn, and M. Tremaine, "Typing Biometrics: Impact of Human Learning on Performance Quality," *J.Data and Information Quality*, vol. 2, no. 2, pp. 11:1–11:21, 2011.
- [45] K. S. Balagani, V. V. Phoha, A. Ray, and S. Phoha, "On the discriminability of keystroke feature vectors used in fixed text keystroke authentication," *Pattern Recogn.Lett.*, vol. 32, no. 7, pp. 1070–1080, 2011.